

WHO: Addressing Violence Against Women

*Key achievements
and priorities*



© UNICEF/JUN076885



1 in 3

women will experience physical and/or sexual violence in their lifetime, mostly by an intimate partner. This is a stark reminder of the scale of gender inequality and discrimination against women. While some women are more at risk than others, violence can happen to any woman, in any country – regardless of culture, religion or economic status.

Violence against women is a problem of epidemic proportions. It causes devastating, life-long damage to women. It also hurts the economic and social health of their families, communities, and countries.

“Eliminating all forms of violence against women and girls is critical for achieving the SDG health targets... it is vital that health systems are equipped to prevent and respond to violence. Health systems that are designed to support universal health coverage should ensure that women can access the health services they need, without facing financial hardship.”

Dr Tedros Adhanom Ghebreyesus, Director-General, WHO, November 2017

WHO plays a key role in bringing attention to and responding to violence against women as a public health issue through:



1 **Research and evidence-building** to highlight the magnitude of violence against women, its risk factors and consequences, and to identify effective interventions for prevention and response.



2 Developing **guidelines and tools, setting norms and standards** for an effective health response to violence against women.



3 **Strengthening country capacity** of health systems to respond to violence against women.



4 Encouraging leadership in health systems and **building the political will** to address violence against women through advocacy and partnerships.

1. Research and evidence-building



The evidence base on violence against women has been steadily increasing over the last 20 years, however there are still gaps that need to be filled to inform policies and programmes properly. WHO continues to expand this vital evidence base. Priority projects include:

Research to identify effective health sector interventions and training approaches for addressing violence against women

WHO undertakes research to test interventions to respond to survivors' needs, and to test approaches for training health care workers to address violence against women in all health care settings.



KEY ACHIEVEMENTS

Research to test approaches to implement WHO guidelines and tools to respond to violence against women in India
.....

Safe and sound; a clinical trial on empowerment counselling intervention in antenatal care completed
.....

Ethical and safety recommendations for intervention research on VAW

Improving methods for measuring VAW in the context of the SDGs monitoring

The Sustainable Development Goals (SDGs; target 5.2), have two indicators regarding prevalence of recent physical, sexual or psychological violence by an intimate partner, and sexual violence by a non-partner among women 15 and older. WHO undertakes activities to align measures and data collection tools for global monitoring:

- Update of the landmark WHO multi-country study questionnaire to include refined measures of sexual violence by non-partners.
- Standard measures for psychological abuse and for violence against older women.
- Update prevalence estimates of intimate partner violence and non-partner sexual violence.



KEY ACHIEVEMENTS

Global and regional estimates of violence against women: prevalence and health effects of intimate partner violence and non-partner sexual violence
.....

WHO multi-country study on women's health and domestic violence against women

2. Norms and standards



WHO has developed evidence-based guidelines, programming and capacity strengthening tools with a focus on guiding public health responses to VAW. Priority projects include:

Development of WHO clinical and policy guidelines and implementation tools for responding to violence against women

- The *clinical handbook on health care for women subjected to violence* provides practical advice and job aids to health workers on how to discuss and respond to intimate partner violence and sexual violence. It is being widely used in countries and it has been translated into multiple languages (Armenian, English, German, Italian, Japanese, Russian, Spanish).
- The *manual for health managers* provides practical advice to policy-makers and administrators on how to strengthen health systems to address violence against women, using the WHO health system building blocks
- The *clinical guidelines for responding to children and adolescents who have been sexually abused* has been taken up by several countries.

★ KEY ACHIEVEMENTS



Health care for women subjected to intimate partner violence or sexual violence: A clinical handbook (2014)



Strengthening health systems to respond to women subjected to intimate partner violence or sexual violence: A manual for health managers (2017)



Responding to intimate partner violence and sexual violence against women: WHO clinical and policy guidelines (2013)



Eliminating virginity testing – WHO statement



Responding to children and adolescents who have been sexually abused: WHO clinical guidelines (2017)



WHO statement on the prevention and elimination of disrespect and abuse during facility-based childbirth (2014)

Norms and standards



Curricula for strengthening capacities of health care providers

Health care providers have an important role to play in responding to the needs of women who have been subjected to violence. In-service and pre-service training curricula for health care professionals being finalized in order to strengthen knowledge, skills and attitudes of providers and provide quality clinical care to survivors of violence.



3. Strengthening health system capacities



© UNICEF/UNI119485


WHO supports countries in strengthening their public health approach and health systems response to violence against women through technical support:

- On national prevalence surveys on VAW using the WHO methodology.
- To align national health policies, protocols and training curricula with WHO guidelines or adapt and roll out WHO guidelines and tools for the health system response to violence against women.
- To build capacity of research institutions on research on violence against women. This includes providing guidelines on methods, and on ethical and safety aspects of conducting the research.

Examples of country work



Botswana, Cambodia, Namibia, Pakistan, Uganda, Uruguay, and Zambia have adapted and implemented the clinical handbook.




Afghanistan is scaling up the health sector response to violence against women: it has developed a health protocol in line with WHO guidelines, translated the clinical handbook into local languages and is training 6000+ health workers across all 34 provinces.



Cambodia has implemented a national population-based prevalence survey using the WHO multi-country study methodology.

WHO is building the capacity of health care providers in humanitarian settings, through the health cluster, in **Afghanistan,** **Bangladesh,** **Democratic Republic of Congo,** **Iraq,** **Nigeria,** and the **Syrian Arab Republic.**



Strengthening health system capacities



Addressing violence against women in humanitarian and conflict settings

Preventing and responding to violence against women remains one of the key challenges for the humanitarian sector. Health services for survivors of violence can be lifesaving and are a minimum standard of health care, yet access to these essential services is often lacking or limited. WHO is working to ensure the health sector's capacity meets the needs of women who have experienced violence, by strengthening the knowledge and skills of providers and the service delivery, and by ensuring evidence-based guidelines and tools on the health response to violence against women are available for use in humanitarian settings. Currently this includes work in: Afghanistan, Bangladesh (Cox's Bazar), Democratic Republic of Congo (Kasai), Iraq, Nigeria, and the Syrian Arab Republic.

★ KEY ACHIEVEMENTS

Strengthening medico-legal response to sexual violence

Mental health and psychosocial support for conflict-related sexual violence: principles and interventions



4. Building political will



The SDGs present a historic opportunity to unite the world behind targets to eliminate all forms of violence against women and girls (target 5.2). Addressing violence against women is also highly relevant to achieving SDG 3, health for all. Advocacy with governments, civil society, donors and other stakeholders to strengthen a public health approach to eliminating violence against women and achieving SDG 5 on gender equality and women's empowerment is a key aspect of WHO's work. Priority projects include:

Implementation of the Global Plan of Action on the health response to violence against women and girls

In 2016, the World Health Assembly endorsed WHA resolution 69.5, *the Global plan of action to strengthen the role of the health system to address interpersonal violence, in particular against women and girls, and against children.*

The plan of action calls for the monitoring of progress made towards strengthening the health systems response to violence against women and girls. WHO is collecting data to establish the baseline for the indicators in the Global Plan of Action. Case studies will document progress in pathfinder countries.

This plan urges member states, national and international partners, as well as WHO to take action under four strategic areas:

I.



Strengthen health systems leadership and governance

II.



Strengthen service delivery and health provider capacity

III.



Strengthen programming for prevention

IV.



Improve evidence and information

Building political will



The elimination of violence against women and girls is key to achieve women's health and human rights and to achieve gender equality.

Evidence-based interagency prevention framework

Building on the UN prevention of violence against women framework led by UN Women, WHO is developing a framework for policy makers on evidence-based prevention strategies and guiding principles for implementing and scaling up prevention programmes.

Partnerships

Essential services package for women and girls subject to violence is a joint UN initiative involving UN Women, UNFPA, WHO, UNODC and UNDP. WHO leads the health component of this initiative, building on WHO guidelines and tools.

The Sexual Violence Research Initiative (SVRI) aims to develop, support, and build capacity for research on violence against women as a public health issue. WHO was a founding member, hosted the SVRI secretariat for the first three years and is a coordinating group member. WHO staff is Chair of the SVRI forum.

Strengthening methodologies and measurement and building national capacities for violence against women data is a joint WHO, UN Women programme aiming to ensure quality, comparable data on different forms of violence against women are available, collected and used. WHO leads the work on strengthening and developing measurement and methodologies for the data collection.

UN Action Against Sexual Violence in Conflict brings together 13 UN entities to strengthen the evidence base, coordination and accountability, amplify programming and advocacy, and support national prevention and response efforts to violence against women in conflict-affected contexts. WHO leads the evidence pillar on effective response and measurement of violence against women in conflict settings.



KEY ACHIEVEMENTS

Adoption of the resolutions WHA 67.15 (2014) and WHA 69.5 (2016), on the Global plan of action to strengthen the role of the health system within a national multisectoral response to address interpersonal violence, in particular against women and girls, and against children

Development of and advocacy to include indicators to monitor SDG target 5.2. on elimination of violence against women and girls

For more detailed information on WHO's publications on violence against women, see: www.who.int/reproductivehealth/publications/violence/en/

WHO Department of Reproductive Health and Research including the UNDP/UNFPA/UNICEF/WHO/World Bank Special Programme of Research, Development and Research Training in Human Reproduction (HRP)
www.who.int/reproductivehealth/en/

For further information contact: reproductivehealth@who.int

WHO/RHR/18.18 © World Health Organization 2018

Some rights reserved. This work is available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; <https://creativecommons.org/licenses/by-nc-sa/3.0/igo>).

Under the terms of this licence, you may copy, redistribute and adapt the work for non-commercial purposes, provided the work is appropriately cited, as indicated below. In any use of this work, there should be no suggestion that WHO endorses any specific organization, products or services. The use of the WHO logo is not permitted. If you adapt the work, then you must license your work under the same or equivalent Creative Commons licence. If you create a translation of this work, you should add the following disclaimer along with the suggested citation: "This translation was not created by the World Health Organization (WHO). WHO is not responsible for the content or accuracy of this translation. The original English edition shall be the binding and authentic edition".

Any mediation relating to disputes arising under the licence shall be conducted in accordance with the mediation rules of the World Intellectual Property Organization.

Suggested citation. WHO: Addressing violence against women: Key achievements and priorities. Geneva: World Health Organization; 2018. Licence: CC BY-NC-SA 3.0 IGO.

Cataloguing-in-Publication (CIP) data. CIP data are available at <http://apps.who.int/iris>.

Sales, rights and licensing. To purchase WHO publications, see <http://apps.who.int/bookorders>. To submit requests for commercial use and queries on rights and licensing, see <http://www.who.int/about/licensing>.

Third-party materials. If you wish to reuse material from this work that is attributed to a third party, such as tables, figures or images, it is your responsibility to determine whether permission is needed for that reuse and to obtain permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

General disclaimers. The designations employed and the presentation of the material in this publication do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

All reasonable precautions have been taken by WHO to verify the information contained in this publication. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall WHO be liable for damages arising from its use.

Printed in Switzerland.

